## Effective Date: 2020/03/04

# SAFETY DATA SHEET

# HAND SANITIZER

### NANJING AOGRAND INTERNATIONAL TRADE CORPORATION.

According to GHS (Seventh Revised Edition)



#### Section 1 **Product and Company Identification**

> Product Identifier

**Product Name** HAND SANITIZER

Synonyms

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses

Please consult manufacturer.

**Uses Advised Against** Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

**Applicant Name** NANJING AOGRAND INTERNATIONAL TRADE CORPORATION.

NO.205 SHUANGGAO ROAD, QIQIAO INDUSTRIAL PARK, GAOCHUN DISTRICT **Application Address** 

NANJING CITY, P.R.CHINA 211302

Applicant Post Code 211302

+86-25-57853789 Applicant Telephone

**Applicant Fax** 

**Applicant E-mail** doc@aogrand.com

**Supplier Name** NANJING AOGRAND INTERNATIONAL TRADE CORPORATION.

NO.205 SHUANGGAO ROAD, QIQIAO INDUSTRIAL PARK, GAOCHUN DISTRICT Supplier Address

NANJING CITY, P.R.CHINA 211302

Supplier Post Code 211302

+86-25-57853789 Supplier Telephone

**Supplier Fax** 

Supplier E-mail S@aogrand.com

> Emergency Phone Number

**Emergency Phone** 

Number

+86-25-57850785

### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the seventh revised edition):

> GHS Hazard Class

Flammable Liquids Category 2

> GHS Label Elements

### Pictogram



Signal Word Danger

> Hazard Statements

H225 Highly flammable liquid and vapour

### > Precautionary Statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P370+P378 In case of fire: Use dry chemical, carbon dioxide or alcohol-resistant foam to

extinguish.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

# Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Ethanol	Commercial secrets	64-17-5	200-578-6
Acrylic acid Polymers	Commercial secrets	9003-01-4	202-415-4
Trolamine	Commercial secrets	102-71-6	203-049-8
Water	Commercial secrets	7732-18-5	231-791-2

## Section 4 First Aid Measures

## > Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to

the doctor in attendance.

Eve Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician if feel uncomfortable.

Skin Contact Take off contaminated clothing and shoes immediately. Wash off with plenty of

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

person. Call a physician or Poison Control Center immediately.

Inhalation Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

mouth to mouth resuscitation if victim ingested or inhaled the substance. If not

breathing, give artificial respiration and consult a physician immediately.

Protecting of Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

### > Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

## > Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

2 Symptoms may be delayed.

# Section 5 Fire Fighting Measures

## > Extinguishing Media

Suitable Extinguishing

**Extinguishing Media** 

Dry chemical, carbon dioxide or alcohol-resistant foam.

Media Unsuitable

Do not use a solid water stream as it may scatter or spread fire.

## > Specific Hazards Arising from the Substance or Mixture

1 Will form explosive mixtures with air.

- 2 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

### > Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Section 6 Accidental Release Measure

### > Personal Precautions, Protective Equipment and Emergency Procedures

- Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

### > Environmental Precautions

- Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

## > Methods and Materials for Containment and Cleaning Up

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.

2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# Section 7 Handling and Storage

### > Precautions for Handling

- Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.
- 9 Take precautionary measures against static discharges.

## > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

# Section 8 Exposure Controls/Personal Protection

### > Control Parameters

**Occupational Exposure Limit Values** 

C	Country (Donies	Limit Value	- Eight Hours	<b>Limit Value - Short Term</b>	
Component	Country/Region	ppm	mg/m³	ppm	mg/m³
Ethanol 64-17-5	USA - OSHA	1000	1900	-	
	South Korea	1000	1900	-	
	Ireland	-	8.	1000	H
	Germany (AGS)	500	960	1000	1920
	Denmark	1000	1900	2000	3800
	Australia	1000	1880	-	
Trolamine 102-71-6	Switzerland	-	5		20
	Sweden	0.8	5	1.6	10
	Ireland	-	5		-

Germany (DFG)	-	5		20
Denmark	0.5	3.1	1	6.2
Australia	-	5	- A	

### **Biological Limit Values**

No information available

### Monitoring Methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

### > Engineering Controls

- Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

# > Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection** 

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

experienced, use a full-face respirator with multi-purpose combination (US) or Respiratory protection

type AXBEK (EN 14387) respirator cartridges.

Skin and Body

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

#### Section 9 **Physical and Chemical Properties**

Odor: No information available Appearance: colourless transparent liquid Odor Threshold: No information available pH: No information available

Melting Point/Freezing Point (°C): No information Initial Boiling Point and Boiling Range (°C): No

available information available

Flash Point (°C)( Closed Cup): 21 Evaporation Rate: No information available

Upper/lower explosive limits[%(v/v)]: Upper limit: Flammability: Not applicable No information available: Lower limit: No information

available

Relative Vapour Density(Air = 1): No information Vapor Pressure (KPa): No information available

available Relative Density(Water=1): No information

available

n-Octanol/Water Partition Coefficient: No

information available

available

Particle characteristics: Not applicable

Solubility: No information available

Auto-Ignition Temperature(°C): No information

available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): No information

available

### Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of In contact with oxidants causes severe reactions, and may cause a fire or

Hazardous Reactions explosion. In contact with active metals (alkali metals, Na, Ca etc.) causes a

reaction and release hydrogen.

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Oxidants, alkali metals, alkaline earth metals and aluminum. Alkali, sodium,

calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl

halide and metal phosphide.

Hazardous Decemposition

Decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11 Toxicological Information

## > Acute Toxicity

Component CAS No.		LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h	
Acrylic acid Polymers 9003-01-4  Trolamine 102-71-6  Ethanol 64-17-5		2500mg/kg(Rat)	No information available	No information available	
		5846mg/kg(Mouse)	No information available	No information available	
		7060mg/kg(Rat)	No information available	39mg/L(Mouse)	

### > Skin Corrosion/Irritation

No information available

### > Serious Eye Damage/Irritation

No information available

### > Skin Sensitization

No information available

## > Respiratory Sensitization

No information available

### > Germ Cell Mutagenicity

No information available

## > Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	64-17-5	Ethanol	Category 1	Not Listed
2	9003-01-4	Acrylic acid Polymers	Category 3	Not Listed
3	102-71-6	Trolamine	Category 3	Not Listed
4	7732-18-5	Water	Not Listed	Not Listed

## > Reproductive Toxicity

No information available

### > Reproductive Toxicity (Additional)

No information available

### > STOT-Single Exposure

No information available

## > STOT-Repeated Exposure

No information available

## > Aspiration Hazard

No information available

# Section 12 Ecological Information

## > Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Trolamine 102-71-6		LC <sub>50</sub> : 11800mg/L (96h)(Fish)	EC <sub>50</sub> : 610mg/L (48h)	No information available
Ethanol	64-17-5	LC <sub>50</sub> : 11000mg/L (96h)(Fish)	EC <sub>50</sub> : 9950mg/L (48h)	No information available

### > Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability Bioaccumulative

No information available

No information available

Potential

**Mobility in Soil** 

No information available

Ethanol does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Results of PBT and

vPvB Assessment

Acrylic acid Polymers does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Trolamine does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Water does not meet the criteria for PBT and vPvB according to Regulation (EC)

No 1907/2006, annex XIII.

# Section 13 Disposal Considerations

**Waste Chemicals** 

Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Page 7 of 9

Disposal Recommendations Refer to section 13.1 and 13.2.

# Section 14 Transport Information

## Transporting Label



Marine pollutant None

UN Number 1170

**UN Proper Shipping** 

Name

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport Hazard Class 3

**Transport Subsidiary** 

Hazard Class

NONE

Packing Group II

# Section 15 Regulatory Information

## > International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Ethanol	4	1	V	V	4	V	V	V	V
Acrylic acid Polymers	×	4	V	٧	¥	4	×	4	¥
Trolamine	V	4	4	V	4	4	4	4	1
Water	1	1	V	V	1	*	1	4	×

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.
 [AICS] Australia Inventory of Chemical Substances.
 [ENCS] Existing And New Chemical Substances.

### Note

"V" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

# Section 16 Additional Information

 Creation Date
 2020/03/04

 Revision Date
 2020/03/04

Reason for Revision -

### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.